



KPX Series
ColourSorter
CLOUD COMPUTING TECHNOLOGY



SORTING SOLUTION

Intelligent cloud brain equipped with incomparable arithmetic, analysis and control abilities realizes the full automatic Colour Sorter.



**KINETIC PROCESS
TECHNOLOGY INDIA PVT. LTD.**

RAIKVA BUILDING
207, 3A, Rammohan Mullick Garden Lane.
(Opp. Saltlake Stadium at Belegkata Building More)
Kolkata 700 010
Email : Sales@kineticgroup.in
Call : 062919 76424 | 99038 33205
Toll Free : 1800 3090 198



A committed SAS team behind



"Kinetic group" comes with people having rich experience in the field of grain processing. The directors are having rich experience of sales service & business development in the Indian sub-continent. Kinetic is a young private limited company aspiring to grow in the market through offering total solutions to the customers and looking forward to grow with customers. Our Motto is to **"Win Together and Grow Together"**. With the rich industry experience, the founders believed that the market, if catered to, with innovative solutions backed by world class quality products and excellent customer service, would address the long term sustainable growth. This thought process leads to the formation of the company Kinetic. Kinetic offers products and services keeping the customer centric approach - at the centre of all decisions taken in both Product as well as After Sales Service and Marketing.

Speed is the need of the hour and the essence of any business. Kinetic, with its rich experienced people, willing to provide complete solutions for grain processing industry from India for its subcontinent. After successful launch of Fully Automatic Colour Sorter (1st time in India) Kinetic also launched its Cleaning, Grading & Packing System for Non-Rice Application as well.



KPX Series Intelligent Cloud Color Sorter.
Three Intelligent Functions
Twelve Core Technologies.

KPX Series
ColourSorter
 CLOUD COMPUTING TECHNOLOGY



KEY HIGHLIGHTS

- Hawkeye Detection Technology (UHD).
- Smart LED Lighting Technology.
- Intelligent product analysis and one touch auto setting.
- Intelligent Electro mechanical valve with ultra low air consumption.
- Complete Hi-tech Components.



TECHNICAL PARAMETERS

MODEL	Capacity* (Ton/H)	Power (kw)	Air Consumption m3 / min.	Dimension LxBxH (MM)	Weight (kg)
KPX 5	up to 5	3.0	S 3.2	2550 x 1840 x 1950	1350
KPX 7	up to 6	4	S 4.2	3230 x 1840 x 1950	1850
KPX 10	up to 10	6.5	S 5.0	4250 x 1840 x 1950	2150

Remarks: * ±20mm Tolerance is acceptable by real calculation.
 *Figures will vary based on through put & input contamination level.